

according to Regulation (EC) No 1907/2006

Alucut Supra Clear

Revision date: 01.01.2021

Product code: 126

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Alucut Supra Clear

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cutting oil

1.3. Details of the supplier of the safety data sheet

Company name:	Alucut Tools Pty Ltd.	
Street:	Rouse Hill Town Centre	
Place:	NSW, Australia	
Post-office box:	BOX 6621	
	2155 NSW, Australia	
Telephone:	+61 410611224 or +61 477663246	
e-mail:	accounts@alucuttools.com.au	
Contact person:	Mile Jurcevic	Telephone: +61 410 611 224
e-mail:	sales@alucuttools.com.au	
Internet:	www.alucuttools.com.au	
Responsible Department:	emergency number 000, poison center 131126	

1.4. Emergency telephone number:

Emergency telephone number (24h) + 44 1235 239670 (en)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Aspiration hazard: Asp. Tox. 1

Hazard Statements:

May be fatal if swallowed and enters airways.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

n-Paraffine C10-C13

Signal word: Danger

Pictograms:



Hazard statements

H304 May be fatal if swallowed and enters airways.

Precautionary statements

P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331	Do NOT induce vomiting.
P405	Store locked up.
P501	Dispose of contents/container to hazardous waste.

2.3. Other hazards

No information available.

according to Regulation (EC) No 1907/2006

Alucut Supra Clear

Revision date: 01.01.2021

Product code: 126

Page 2 of 8

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Hazardous components**

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	GHS Classification	
64771-72-8	n-Paraffine C10-C13	50 - <= 100 %
	929-018-5	
	01-2119475608-26	
	Asp. Tox. 1; H304	

Full text of H and EUH statements: see section 16.

Further Information

The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346.

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Seek medical attention if problems persist. No administration in cases of unconsciousness or cramps. First aider: Pay attention to self-protection!

After inhalation

Move victim to fresh air. Put victim at rest and keep warm.

After contact with skin

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. In case of swallowing, keep the patient at rest and contact a doctor.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Water fog. Extinguishing powder. Carbon dioxide. Foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated:

Carbon dioxide (CO₂).

Carbon monoxide

Nitrogen oxides (NO_x).

according to Regulation (EC) No 1907/2006

Alucut Supra Clear

Revision date: 01.01.2021

Product code: 126

Page 3 of 8

5.3. Advice for firefighters

Do not inhale explosion and combustion gases. Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Wear personal protection equipment. Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Treat the recovered material as prescribed in the section on waste disposal.

Collect in closed containers for disposal.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Large quantities remove mechanically

Clean contaminated articles and floor according to the environmental legislation.

Clean with detergents. Avoid solvent cleaners.

6.4. Reference to other sections

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Avoid oil mist

Use only in well-ventilated areas.

Direct contact with skins avoid.

When using do not eat, drink or smoke.

Advice on protection against fire and explosion

Prevent access by unauthorised personnel.

Further information on handling

High slip hazard because of leaking or spilled product.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

Recommended storage temperature: 5-40 °C

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Do not store with strong oxidizing agents.

Maximum period of storage (time): 6 month(s)

Further information on storage conditions

Protect from sunlight. Store in a well-ventilated place.

7.3. Specific end use(s)

Do not eat, drink or smoke when using this product.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters**

according to Regulation (EC) No 1907/2006

Alucut Supra Clear

Revision date: 01.01.2021

Product code: 126

Page 4 of 8

Additional advice on limit values

The product does not contain any relevant quantities of materials with workplace limit values.

8.2. Exposure controls



Appropriate engineering controls

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Protective and hygiene measures

Use personal protection equipment as per Directive 89/686/EEC.

Eye/face protection

Use glasses or face shield if there is a risk of splashing. DIN EN 166

Hand protection

Protect skin by using skin protective cream.

Wash hands before breaks and after work.

Gloves of appropriate material (i.e. nitrilic rubber, specification: penetration time: level 6, >480 min., thickness 0,9-1 mm; CE-certified acc. EN 374 cat III)

Skin protection

Chemical resistant safety shoes. Take off immediately all contaminated clothing.

Thorough skin-cleansing after handling the product. Set out skin protection guidelines.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	clear
Odour:	characteristic

pH-Value:	not applicable	Test method
-----------	----------------	--------------------

Changes in the physical state

Initial boiling point and boiling range:	220 °C	
Flash point:	72 °C	DIN EN 57
Lower explosion limits:	0,5 vol. %	
Upper explosion limits:	6 vol. %	
Ignition temperature:	ca. 200 °C	
Vapour pressure:	0,001 hPa	
(at 20 °C)		
Density (at 20 °C):	0,76 g/cm³	EN ISO 12185
Viscosity / kinematic:	4 mm²/s	ASTM D 7042
(at 40 °C)		

according to Regulation (EC) No 1907/2006

Alucut Supra Clear

Revision date: 01.01.2021

Product code: 126

Page 5 of 8

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Protect against: heat.

10.5. Incompatible materials

The following must be prevented: Oxidizing agents, strong. acid.

10.6. Hazardous decomposition products

Hazardous decomposition products: none

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicokinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

Data apply to the main component.

Acute toxicity

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64771-72-8	n-Paraffine C10-C13				
	oral	LD50 >5000 mg/kg	rat		
	dermal	LD50 >2001 mg/kg	rbt		

Additional information on tests

No risks worthy of mention. Practical experience.

The statement is derived from the properties of the single components.

The classification was undertaken in accordance with the calculation method governed by the Preparations Directive (1999/45/EC).

SECTION 12: Ecological information

12.1. Toxicity

The product has not been tested.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
64771-72-8	n-Paraffine C10-C13					
	Acute fish toxicity	LC50 >100 mg/l	96 h	Pimephales Promelas		

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

according to Regulation (EC) No 1907/2006

Alucut Supra Clear

Revision date: 01.01.2021

Product code: 126

Page 6 of 8

The product has not been tested.

12.4. Mobility in soil

in delivery condition: liquid

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects

Do not allow uncontrolled discharge of product into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of contents/container to an appropriate recycling or disposal facility. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Non-contaminated packages may be recycled.

List of Wastes Code - residues/unused products

120107 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; mineral-based machining oils free of halogens (except emulsions and solutions); hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

- | | |
|---|--|
| <u>14.1. UN number:</u> | No dangerous good in sense of these transport regulations. |
| <u>14.2. UN proper shipping name:</u> | No dangerous good in sense of these transport regulations. |
| <u>14.3. Transport hazard class(es):</u> | No dangerous good in sense of these transport regulations. |
| <u>14.4. Packing group:</u> | No dangerous good in sense of these transport regulations. |

Other applicable information (land transport)

Not restricted

Inland waterways transport (ADN)

- | | |
|---|--|
| <u>14.1. UN number:</u> | No dangerous good in sense of these transport regulations. |
| <u>14.2. UN proper shipping name:</u> | No dangerous good in sense of these transport regulations. |
| <u>14.3. Transport hazard class(es):</u> | No dangerous good in sense of these transport regulations. |
| <u>14.4. Packing group:</u> | No dangerous good in sense of these transport regulations. |

Other applicable information (inland waterways transport)

Not restricted

Marine transport (IMDG)

- | | |
|---|--|
| <u>14.1. UN number:</u> | No dangerous good in sense of these transport regulations. |
| <u>14.2. UN proper shipping name:</u> | No dangerous good in sense of these transport regulations. |
| <u>14.3. Transport hazard class(es):</u> | No dangerous good in sense of these transport regulations. |
| <u>14.4. Packing group:</u> | @1401. |

Other applicable information (marine transport)

Not restricted

Air transport (ICAO-TI/IATA-DGR)

- | | |
|--|--|
| <u>14.1. UN number:</u> | No dangerous good in sense of these transport regulations. |
| <u>14.2. UN proper shipping name:</u> | No dangerous good in sense of these transport regulations. |

according to Regulation (EC) No 1907/2006

Alucut Supra Clear

Revision date: 01.01.2021

Product code: 126

Page 7 of 8

14.3. Transport hazard class(es): No dangerous good in sense of these transport regulations.

Other applicable information (air transport)

Not restricted

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Personal protection equipment: see section 8

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

2004/42/EC (VOC): 92 % (690 g/l)

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

n-Paraffine C10-C13

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,7.

AICS (Australien), DSL (Kanada), IECSC (China), REACH (Europäische Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (Neuseeland), PICCS (Philippinen), TSCA (USA)

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Alucut Supra Clear

Revision date: 01.01.2021

Product code: 126

Page 8 of 8

RID: Regulations concerning the international carriage of dangerous goods by rail
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
IMDG: International Maritime Code for Dangerous Goods
EmS: Emergency Schedules
MFAG: Medical First Aid Guide
IATA: International Air Transport Association
ICAO: International Civil Aviation Organization
MARPOL: International Convention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern
Repr. - Reproduktionstoxizität
Asp. Tox. - Aspirationstoxizität
Acute Tox. - Akute Toxizität
Aquatic Acute - Akute aquatische Toxizität
Aquatic Chronic - Chronische aquatische Toxizität
Eye Dam. - Augenschaden/-reizung
Eye Irrit. - Augenreizung
Skin Corr. - Ätzwirkung auf die Haut
Skin Irrit. - Hautreizung
Skin Sens. - Hautallergen
Resp. Sens. - Inhalationsallergen
STOT SE - Spezifische Zielorgan-Toxizität - einmalige Exposition
STOT RE - Spezifische Zielorgan-Toxizität - wiederholte Exposition
VOC - Flüchtige organische Verbindungen

Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)